ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Aug 1, 2019

04 00 [1047]

PRODUCT NUMBER

SC0206LQ0

PRODUCT NAME

LU™206 LQ All-Purpose Silicone Lubricant

MANUFACTURER'S NAME

SPRAYON PRODUCTS SPRAYON PRODUCTS GROUP 101 W. Prospect Avenue, Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

SC0206LQ0 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT5.95 lb/gal0.72-10 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lt. Aliphatic Hydrocarbon Solvent 64742-89-8	N	N	N	N	5	5
Light Aliphatic Hydrocarbon Solvent 64742-49-0	N	N	N	N	84	86
Methyl Cyclohexane 108-87-2	N	N	N	N	5	4

Volatile Organic Compounds - U.S. EPA / Canada

	SC0206LQ0				
		LB/Gal			g/L
Coating Density		5.95		712	
		By wt			By vol
Total Volatiles		93.0%		94.7	' %
Federally exempt solvents					
Water		0.0%		0.0)%
Organic Volatiles		93.0%		94.7%	
Percent Non-Volatile		7.0%		5.3	3%
VOC Content		LB/Gal			g/L
Total		5.52		662	
Less exempt solvents		5.52		662	
Of solids	>	99.99	>	11,983	
Of solids	>	99.99 lb/lb	>	11,983	kg/kg
		By wt			
Bv wt LVP-VOC		93.0%			

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.12

Volatile Organic Compounds - California

	SC0206LQ0				
		LB/Gal			g/L
Coating Density		5.95		712	
		By wt			By vol
Total Volatiles		93.0%		94.	7%
Exempt solvents					
Water		0.0%		0.	0%
Organic Volatiles		93.0%		94.	7%
Percent Non-Volatile		7.0%		5.	3%
VOC Content		LB/Gal			g/L
Total		5.52		662	
Less exempt solvents		5.52		662	
Of solids	>	99.99	>	11,983	
Of solids	>	99.99 lb/lb	>	11,983	kg/kg
		By wt			
By wt LVP-VOC		93.0%			

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 1.11

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	SC0206LQ0					
		LB/Gal			g/L	
Coating Density		5.95		712		
		By wt			By vol	
Total Volatiles		93.0%		94.	7%	
Exempt solvents						
Water		0.0%		0.0	0%	
Organic Volatiles		93.0%		94.7%		
Percent Non-Volatile		7.0%		5.3	3%	
VOC Content		LB/Gal			g/L	
Total		5.52		662		
Less exempt solvents		5.52		662		
Of solids	>	99.99	>	11,983		
Of solids	>	99.99 lb/lb	>	11,983	kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	SC0206LQ0		
	By wt	By vol	
Total Volatiles	93.0%	94.7%	
VOC Content	LB/Gal	g/L	
Total	5.52	662	

Volatile Organic Compounds - EU Directive 2010/75/EU

	SC0206LQ0			
	By wt	By vol		
Total Volatiles	93.0%	94.7%		
VOC Content	LB/Gal	g/L		
Total	5.52	662		

Volatile Organic Compounds - Mexico

	SC0206LQ0				
		LB/Gal			g/L
Coating Density		5.95		712	
		By wt			By vol
Total Volatiles		93.0%		94.	7%
Exempt solvents					
Water		0.0%		0.0	0%
Organic Volatiles		93.0%		94.	7%
Percent Non-Volatile		7.0%		5.3	3%
VOC Content		LB/Gal			g/L
Total		5.52		662	
Less exempt solvents		5.52		662	
Of solids	>	99.99	>	11,983	
Of solids	>	99.99 lb/lb	>	11,983	kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	SC0206LQ0		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

5.84 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.