ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

06 00 [1047]

Date of Preparation Dec 13, 2019

PRODUCT NUMBER

SC0210000

PRODUCT NAME

LU™210 Food Grade Silicone Lubricant Aerosol

MANUFACTURER'S NAME

SPRAYON PRODUCTS SPRAYON PRODUCTS GROUP 101 W. Prospect Avenue, Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

SC0210000 = | Acute | Chronic | Fire |

Product Weight 5.42 lb/gal	SI	Specific Gravity 0.65		FLASH POINT -20 °F PMCC		
Volatile Ingredients						
Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	Ν	Ν	N	15	19
Hexane 110-54-3	N	Υ	Υ	Y	42	41
2-Methylpentane 107-83-5	N	N	N	N	19	19
3-Methylpentane 96-14-0	N	N	N	N	7	7
2,3-Dimethylbutane 79-29-8	N	Ν	Ν	N	6	6
2,2-Dimethylbutane 75-83-2	N	N	N	N	2	2
Cyclohexane 110-82-7	N	Y	Υ	N	2	2

Volatile Organic Compounds - U.S. EPA / Canada

	SC0210000				
	LB/Gal	l g/L			
Coating Density	5.42	649			
	By wt	t By vol			
Total Volatiles	95.0%	96.6%			
Federally exempt solvents					
Water	0.0%	0.0%			
Organic Volatiles	95.0%	96.6%			
Percent Non-Volatile	5.0%	3.4%			
VOC Content	LB/Gal	l g/L			
Total	5.15	617			
Less exempt solvents	5.15	617			
Of solids	> 99.99	> 11,983			
Of solids	> 99.99 lb/lb	o > 11,983 kg/kg			
	By wt	t			
By wt LVP-VOC	95.0%				

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.19

Volatile Organic Compounds - California

	SC0210000				
		LB/Gal			g/L
Coating Density		5.42		649	
		By wt			By vol
Total Volatiles		95.0%		96.6%	
Exempt solvents					
Water	0.0%		0.	0%	
Organic Volatiles		95.0%	95.0% 96.6%		6%
Percent Non-Volatile	5.0%		3.	4%	
VOC Content		LB/Gal			g/L
Total		5.15		617	
Less exempt solvents		5.15		617	
Of solids	>	99.99	>	11,983	
Of solids	>	99.99 lb/lb	>	11,983	kg/kg
		By wt			
By wt LVP-VOC		95.0%			

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 1.09

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	SC0210000				
		LB/Gal			g/L
Coating Density		5.42		649	
		By wt			By vol
Total Volatiles		95.0%		96.6	8%
Exempt solvents					
Water		0.0%		0.0	1%
Organic Volatiles		95.0%	96.6%		6%
Percent Non-Volatile		5.0%		3.4	%
VOC Content		LB/Gal			g/L
Total		5.15		617	
Less exempt solvents		5.15		617	
Of solids	>	99.99	>	11,983	
Of solids	>	99.99 lb/lb	>	11,983	kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	SC0210000		
	By wt	By vol	
Total Volatiles	95.0%	96.6%	
VOC Content	LB/Gal	g/L	
Total	5.15	617	

Volatile Organic Compounds - EU Directive 2010/75/EU

	SC0210000		
	By wt	By vol	
Total Volatiles	95.0%	96.6%	
VOC Content	LB/Gal	g/L	
Total	5.15	617	

Volatile Organic Compounds - Mexico

	SC0210000				
		LB/Gal			g/L
Coating Density		5.42		649	
		By wt			By vol
Total Volatiles		95.0%		96.6	\$%
Exempt solvents					
Water		0.0%		0.0)%
Organic Volatiles		95.0%	96.6%		\$%
Percent Non-Volatile		5.0%		3.4	%
VOC Content		LB/Gal			g/L
Total		5.15		617	
Less exempt solvents		5.15		617	
Of solids	>	99.99	>	11,983	
Of solids	>	99.99 lb/lb	>	11,983	kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	SC0210000			
	LB/Gal	kg/L		
Volatile HAPS	2.27	0.272		
Of solids	67.80	8.125		
Of solids	8.39 lb/lb	8.39 kg/kg		

Air Quality Data

Density of Organic Solvent Blend 5.33 lb/gal Photochemically Reactive Yes

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.