

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Mar 7, 2018

03 00 [1047]

PRODUCT NUMBER

SC0402000

PRODUCT NAME

LU™402 ECO-GRADE™ General Purpose Lubricant & Penetrant Aerosol

MANUFACTURER'S NAME

SPRAYON PRODUCTS
SPRAYON PRODUCTS GROUP
101 W. Prospect Avenue,
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Product Weight

6.83 lb/gal

Specific Gravity

0.82

FLASH POINT

-20 °F PMCC

Hazard Category (for SARA 311.312)

| Acute | Chronic | Fire |

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	8	12
Butane 106-97-8	N	N	N	N	7	11

Volatile Organic Compounds - U.S. EPA

A.	Coating Density	6.83 lb/gal	818 g/l	
B.	Total Volatiles	15.0% by wt.	23.2% by vol.	
C.	Federally exempt solvents:			
	Water	0.0% by wt.	0.0% by vol.	
D.	Organic Volatiles	15.0% by wt.	23.2% by vol.	
E.	Percent Non-Volatile	85.0% by wt.	76.8% by vol.	
F.	VOC Content	1.02 lb/gal	122 g/l	total
		1.02 lb/gal	122 g/l	less exempt solvents
		1.33 lb/gal	159 g/l	of solids
		0.17 lb/lb	0.17 kg/kg	of solids
		15.0%		by wt LVP-VOC
	Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009)	0.12		

Volatile Organic Compounds - California

A.	Coating Density	6.83 lb/gal	818 g/l	
B.	Total Volatiles	15.0% by wt.	23.2% by vol.	
C.	Exempt solvents:			
	Water	0.0% by wt.	0.0% by vol.	
D.	Organic Volatiles	15.0% by wt.	23.2% by vol.	
E.	Percent Non-Volatile	85.0% by wt.	76.8% by vol.	
F.	VOC Content	1.02 lb/gal	122 g/l	total
		1.02 lb/gal	122 g/l	less exempt solvents
		1.33 lb/gal	159 g/l	of solids
		0.17 lb/lb	0.17 kg/kg	of solids
		15.0%		by wt LVP-VOC
	Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010)	0.12		

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

A.	Coating Density	6.83 lb/gal	818 g/l	
B.	Total Volatiles	15.0% by wt.	23.2% by vol.	
C.	Exempt solvents:			
	Water	0.0% by wt.	0.0% by vol.	
D.	Organic Volatiles	15.0% by wt.	23.2% by vol.	
E.	Percent Non-Volatile	85.0% by wt.	76.8% by vol.	
F.	VOC Content	1.02 lb/gal	122 g/l	total
		1.02 lb/gal	122 g/l	less exempt solvents
		1.33 lb/gal	159 g/l	of solids
		0.17 lb/lb	0.17 kg/kg	of solids
		15.0%		by wt LVP-VOC

Volatile Organic Compounds - EU Directive 2010/75/EU

Total Volatiles	15.0% by wt.	23.2% by vol.
VOC Content	1.02 lb/gal	122 g/l

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

Volatile HAPS	0.00	lb/gal	0.000	kg/l
	0.00	lb/gal	0.000	kg/l of solids
	0.00	lb/lb	0.00	kg/kg of solids

Air Quality Data

Density of Organic Solvent Blend
4.42 lb/gal

Photochemically Reactive
No

Additional Regulatory Information

US EPA TSCA:
Not Applicable
Relevant identified uses of the substance or mixture and uses advised against:
Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.